Document Scanners ScanSnap S1300i



shaping tomorrow with you

ScanSnap S1300i

'ES ON BOTH WINDOWS AND MAC OS OPERATING SYSTEMS **OPERATES**

Stack, Scan. Simple!

The portable ScanSnap S1300i provides Windows and Mac users the tools to be productive and paperless... anywhere - anytime.



S1300i

10 Sheets

iqb 006

Simple, Speedy & Compact!

The ScanSnap S1300i is a document scanner for the PC or Mac user capable of scanning up to 12 pages per minute / 24 images per minute. The 10 page ADF can cope with a mixed variety of single or double sided documents ranging in different size and thickness as well as colour or black and white.

Auto deskew and auto orientation



Automatic resolution function

148 mm or shorter	Longer than 148 mm	
Barra and Article	264-	
Colour / Grayscale: 300 dpi		
Monochrome: 600 dpi	+	
	olour / Grayscale: 200 dpi Monochrome: 400 dpi	



Intelligent auto colour detection



Efficiently Manages Scanned Documents

- S1300i users can easily locate specific ScanSnap generated PDF and JPEG files by viewing displayed thumbnail images
- Keyword searches can be performed on S1300i generated PDF file text
- The S1300i creates searchable PDF files by performing OCR functions when the linked computer CPU is idling

Intelligent Cropping (PC users only)

This feature enables users to easily "cut out" digitised copies of newspaper and magazine articles that they have outlined on the original paper document with a highlight pen.

Intelligent Indexing

This feature extracts text from sections of scanned images that have been highlighted. This index information can then be attached to PDF files as so called Meta Data.

PDF Management and Search Software For PC Users: ScanSnap Organizer V4.1 Bundled

The S1300i "Quick Menu" Facilitates Intuitive Use

Users just choose what they want to do from the Quick Menu, which appears after a document has been scanned. The S1300i Quick Menu is perfect for everyone, even the complete novice!

Simplex

12 ppm

Duplex

24 ipm

• Quick Menu for Windows® OS Users



Ouick Menu for Mac OS Users





OPERATES ON BOTH WINDOWS AND MAC OS OPERATING SYSTEMS • OPERATES ON BOTH WINDOWS AND MAC OS OPERATING SY

Document received

» Document scanned

>> Now make your paper productive >>



Generates Microsoft® Word, Excel and PowerPoint® Files

- Editable images can be created by scanning directly to Microsoft[®] Word, Excel and PowerPoint[®] files^{*}
- * PowerPoint® functionality available for Windows OS only. Generated images and text may vary from the original



Bundled

ABBYY FineReader for ScanSnap[™] 4.1

Seamless linking to Cloud services

The ScanSnap series scanners come with a standard array of functions for near effortless scanning to Evernote, Google Docs, Salesforce, SugarSync and Dropbox. The S1300i brings significant upgrades to the ScanSnap series entry model for convenient browsing from a computer or smartphone – anywhere, anytime.

ScanSnap Folder (Windows OS only)

You can now easily scan into your preferred application or cloud service even when no scan interface is available, through the import capability. Browse to the new ScanSnap Folder and hit the blue scan button. The documents are now imported into your application and automatically deleted from the ScanSnap Folder on your local computer!

ScanSnap welcomes Dropbox

The new S1300i features the latest Quick Menu which includes a new function for saving scanned documents to Dropbox, one of today's leading online file syncing/storage services.

With more cloud services to choose from, ScanSnap customers are sure to find the right application for their documents.

Efficiently Organises Business Card Information

 Scans large volumes of business cards into digital business card holders



 Enables users to export scanned data into Excel, Outlook, SalesForce and other contact management tools for future reference



ScanSnap S1300i Deluxe comes with Rack2-Filer V5.0

- Directly file and organize your digitized documents in virtual binders
- Realistic page flip interface with useful editing functions

Bundled

 A powerful tool for uniformly managing image data produced by the \$1300i and other devices



Scans to a greater range of mobile devices



Like all scanners of the ScanSnap series, the S1300i supports wireless scanning to iPad[®] and iPhone[®] devices for convenient mobile viewing via the mobile app ScanSnap Connect Application^{*}, which now comes in a version for Android[™] smartphones and tablets.

* ScanSnap Connect Application is available as a free download from the official application distribution service of the device (e.g., Google Play and Apple App Store). The Wi-Fi of the ScanSnap installed computer must be turned on to use this feature.

ScanSnap S1300i Specifications

Product name ScanSnap \$1300i					
Scanner type		ADF (Automatic Document Feeder), duplex scanning			
Scanning modes			Colour, grayscale, monochrome, automatic (colour / grayscale / monochrome detection)		
Image sensor / Multi-feed dete	ection	· · · ·	CIS (Contact Image Sensor) x 2 / Le	ength check	Unergy
Light source / Optical resolution		3 Colour LED (Red/Green/Blue) / 600 dpi		ENERGY STAR	
	Auto mode ^{*2}	Simplex, duplex 6 ppm		ENERGY STAR [®] compliant	
e i 19	Normal mode	Colour / grayscale 150 dpi, monochrome 300 dpi, simplex, duplex 12 ppm			
Scanning speed*1	Better mode	Colour / grayscale 200 dpi, monochrome 400 dpi, simplex, duplex 9 ppm			
(A4 portrait) AC Adapter	Best mode	Colour / grayscale 300 dpi, monochrome 600 dpi, simplex, duplex 6 ppm			
	Excellent mode	Colour / grayscale 600 dpi, monochrome 1,200 dpi, simplex, duplex 1 ppm			*1 Scanning speeds may vary due to the system environment used.
	Auto mode ^{*2}	Simplex, duplex 2 ppm			
Scanning speed*1	Normal mode	Colour / grayscale 150 dpi, monochrome 300 dpi, simplex, duplex 4 ppm			*2 Documents measuring approximately 148 mm in length or loss are scanned in "Rest mode"
	Better mode	Colour / grayscale 200 dpi, monochrome 400 dpi, simplex, duplex 3 ppm			in length or less are scanned in "Best mode", while other documents are scanned in
(A4 portrait) USB bus powered ^{*3}	Best mode	Colour / grayscale 300 dpi, monochrome 600 dpi, simplex, duplex 2 ppm			"Better mode".
	Excellent mode	Colour /	grayscale 600 dpi, monochrome 1,200 dp	oi, simplex, duplex 1 ppm	*3 When using the USB bus power cable, the
Document size	Normal mode	A4, A5, A6, B5, B6, Business card, Post card, Letter, Legal and Custom sizes (Max : 216 x 360 mm, Min : 50.8 x 50.8 mm) / Automatically recognises document size			personal computer must have two USB ports: one for power feeding, the other for USB
	Long paper scanning*4		863 mm		cable connection.
Paper weight (Thickness), Pap	er chute capacity*5		64 to 104.7 g/m², Maximum 10 sheet	s (A4, 80 g/m²)	 *4 ScanSnap S1300i is capable of scanning documents that exceed A4 size in length. It
Interface		USB 2.0 (USB 1.1 Compatible)		- supports the scanning of longer documents	
Power requirement	AC adapter, USB bus power	AC 100 to 240V, 50 / 60Hz, 5V / 1A (0.5A x 2 port)		in all modes, except for "Excellent mode".	
	Power cable connection	During operation: 9W or less, During sleep mode: 2.6W or less		*5 Maximum capacity varies, depending upon	
Power consumption	USB bus power cable connection	During operation: 5W or less , During sleep mode: 2W or less			paper weight.
Operation environment		Temperature : 5 to 35°C (41 to 95°F) / Relative humidity: 20 to 80% (Non-condensing)			*6 When chuter is closed.
Dimensions (W x D x H)*6, Device weight		284 x 99 x 77 mm, 1.4kg			 *7 PFU LIMITED, a Fujitsu company, has determined that this product meets
Environment compliance		ENERGY STAR® compliant / RoHS*7			RoHS requirements (2002 / 95 / EC).
System requirements for Wind	System requirements for Windows		Windows Vista™ (32bit / 64bit)*1	Windows [®] XP (32bit) ^{*2}	*1 For use with Service Pack 1 or higher
Driver / Applications ^{*3}	ScanSnap Manager V5.1	Supported	Supported	Supported ^{*4}	*2 For use with Service Pack 3 or higher. Compatible with Windows® XP Professional / Home Edition
	ScanSnap Organizer V4.1*2	Supported	Supported	Supported ^{*4}	 *3 Please refer to the ScanSnap Web site for latest
	CardMinder [™] V4.1	Supported	Supported	Supported ^{*4}	support information.
	ABBYY FineReader for ScanSnap [™] 4.1	Supported	Supported	Supported ^{*4}	^{*4} The ScanSnap device may not work if the connected
	Scan to Microsoft® SharePoint 3.4	Supported	Supported	Supported ^{*4}	computer does not meet this requirement.
	Evernote for Win 4.4	Supported	Supported	Supported ^{*4}	*5 Scanning speeds may drop if recommended
Hardware requirements*4	CPU*5	Intel® Pentium® 4 1.8GHz or higher (recommended: Intel® Core™ 2 Duo 2.2GHz or higher)			CPU, memory capacity and USB 1.1 requirements are not met.
	Memory capacity*6	64bit: 2 GB or more 512 MB or more (recommended : 1 GB or more)		^{*6} Microsoft .NET Framework 3.5 SP1 will be installed (requires 500 MB of disk space) together with	
	Display	800 x 600 pixels or more			either ScanSnap Manager or ScanSnap Organizer
	Disk capacity*6	2,290 MB free hard disc space for installation			for systems that do not have .NET Framework 3.5
	DVD-ROM drive	Required for installation			SP1 installed.
	USB port ^{*5,*7}	USB 3.0 / USB 2.0 / USB 1.1			*7 ScanSnap operates on both USB 2.0 and USB 3.0 without any difference in performance.
					System requirements may change depending on the duration of support and the support policy of the companies that make the software listed in the table above.

					software instea in the table above.	
System requirements for Mac OS		Mac OS X v10.7	Mac OS X v10.6*1	Mac OS X v10.5*2		
Driver / Applications*3	ScanSnap Manager V3.2	Supported	Supported	Supported	*1 Mac OS X v10.6.6 or later recommended. *2 Mac OS X v10.5.8 recommended. *3 Please refer to the ScanSnap Web site for latest support information.	
	Cardiris [™] 4.0 for ScanSnap	Supported	Supported	Supported		
	ABBYY FineReader for ScanSnap [™] 4.1	Supported	Supported	Supported		
	Evernote for Mac 2.2	Supported*4	Supported	Supported*5	^{*4} Download and install the latest version of	
	CPU*7	Intel® Core™ 2 Duo Intel® Core™ Duo 1.83 GHz or higher (recommended: Intel® Core™ Intel® Core™ 2 Duo 2.4 GHz or higher) 2 Duo 2.4 GHz or higher) (recommended: Intel® Core™ 2 Duo 2.4 GHz or higher)		Evernote, which is available from the official website of Evernote Corp. *5 Mac OS X v10.5.8 only.		
Hardware requirements*6	Memory capacity*7	2 GB or more	1 GB or more	512 MB or more (recommended : 1 GB or more)	*6 The ScanSnap device may not work if the	
naruware requirements	Display	1,024 x 768 pixels or more			connected computer does not meet this requirement.	
	Disk capacity		1,555 MB free hard disc space for installation			
	DVD-ROM drive	Required for installation			 *7 Scanning speeds may drop if recommended CPU, memory capacity and USB 1.1 requirements are not met. 	
	USB port*7	USB 2.0 / USB 1.1				
					System requirements may change depending on the duration of support and the support policy of the companies that make t	
Software	Wi	ndows®		Mac OS	he software listed in the table above.	
Driver ^{*1,*2}	ScanSnap	o Manager V5.1		ScanSnap Manager V3.2		
	ScanSnap	ScanSnap Organizer V4.1		-	*1 TWAIN or ISIS [™] applications cannot be	
	Evernot	Evernote for Win 4.4		Evernote for Mac 2.2	used directly.	
Software Applications	CardMinder™V4.1			Cardiris™ 4.0 for ScanSnap	*2 "One touch" image file (JPEG, PDF and searchable PDF) generation. These functions	
	Scan to Microso	oft® SharePoint® 3.4		-	 are operable with ScanSnap Manager V5.0 	
		ABBYY FineReader for ScanSnap™ 4.1			(ScanSnap specific driver).	
Consumables and Options	Part number	Remarks			^{*1} This product has been especially designed for storing and carrying ScanSnap, S1300i / S1300 / S3000 / S300M. Please note that this product is not quaranteed to withstand damage by excessive	
Consumable Kit	CON-3541-010A	1 x Pick Roller; 2 x Pad Assy; total max. lifetime 100.000 documents or 1 year				
ScanSnap Cleaning Kit	SC-CLE-SS	24 cleaning fluid impregnated wipes (EAN 5032140200205)				
					guaranteeu to withstand damage by excessive	

ScanSnap S300 Soft Case*1

PFU Imaging Solutions Europe Limited Hayes Park Central

Intended for ScanSnap S1300i, S1300, S300, S300M and included items

Hayes End Road, Hayes Middlesex UB4 8FE England Tel: (+44-(0)20) 8573 4444 Fax: (+44-(0)20) 8573 2643

www.ScanSnapit.com

 PFU Imaging Solutions GmbH

 Frankfurter Ring 211

 80807 Munich

 Germany

 Tel:
 (+49-(0)89) 32378-0

 Fax:
 (+49-(0)89) 32378-100

PFU Imaging Solutions S.p.A.

Via Nazario Sauro, 38 20099 Sesto San Giovanni (MI) Italy Tel: (+39) 0226294.1 Fax: (+39) 0226294.201

guaranteed to withstand damage by excessive shock or external pressure.



© Copyright 1993-2012. PFU Imaging Solutions Europe Limited. All rights reserved. R 06.12 / P 05.12 / ENG

PA03541-0004